

Recommendations for the public

Highlights of Perio Workshop 2016 on the Boundaries Between Dental Caries and Periodontal Diseases - jointly organised by the EFP and ORCA.

Compiled by **Prof Nicola West** from the consensus reports of the working groups chaired by **Prof Mariano Sanz**, **Prof Søren Jepsen**, **Prof Iain Chapple**, and **Prof Maurizio Tonetti**.



Gum Disease and Tooth Decay


interactions and similarities between
the most widespread oral conditions



Gum Disease and Tooth Decay (Caries) continue to be major public health problems worldwide.



Severe Periodontitis is a major cause of tooth loss in adult population.



Untreated Caries and Periodontitis may have severe consequences and lead to tooth loss.

 **Perio
& Caries**

Gum Disease and Caries
can be
both preventable

10%

10% of the global population are affected by severe Periodontitis.
743 million people affected.



1 in 3 people
are affected by caries.

6

Severe Periodontitis is the sixth most common disease globally.

Visit our site:

perioandcaries.efp.org



Teeth are **for a lifetime**

Periodontal diseases and dental caries are the most common non-communicable diseases of mankind and the main cause of tooth loss. Both diseases can lead to nutritional compromise and a negative impact on self-esteem and quality of life.

The dental plaque that accumulates on teeth is a determinant common to the development of both diseases.

They share common risk factors and social determinants, important for their prevention and control.

Most recent scientific evidence indicates that similar preventive approaches, based around routinely performed oral hygiene with a fluoride toothpaste, are effective for both periodontal diseases and dental caries.

Due to worldwide population growth and increased tooth retention, the number of people affected by dental caries and periodontitis has grown, thus increasing the total burden of these diseases globally, in particular in the older population.

Even if the risk of gingivitis and periodontitis typically increases with age, and caries often strikes during childhood and adolescence, these diseases are extremely widespread among the general public, posing a very serious threat to their teeth. Both current and future patients face the dual risk of gum disease and caries throughout their lives. Fortunately, effective preventive and therapeutic interventions are available today to manage these conditions.

Irrespective of your age and health status, it is important to reduce the intake of sugars, brush your teeth twice a day with fluoride toothpaste and stop smoking, in order to prevent these diseases.

It is not normal to have bleeding gums and it is important to visit your dentist regularly.

Teeth are for a lifetime. Take Action!

Recommendations about periodontal diseases and dental caries



Periodontal diseases

There are different forms of periodontal disease (gum disease), but the most common are gingivitis and periodontitis.

Gingivitis is a necessary prerequisite for periodontitis. Whilst not all cases of gingivitis will progress to periodontitis, managing the former is a vital primary preventive strategy for the latter.

Periodontitis causes tooth loss if left untreated. In its more severe forms, periodontitis is independently associated with higher mortality rates due to an increased risk of atherogenic cardiovascular diseases, diabetes and related complications.

Dental Biofilm is the major determinant of periodontitis. Risk for periodontitis has a strong inherited component, **but lifestyle, environmental factors and behaviours are key** to determining whether the disease develops or progresses.

Periodontitis is treatable to the extent that teeth can be retained for life, **but early diagnosis is vital.** The disease can start in adolescence or in later teenage years.

Glycaemic control in both non-diabetes and diabetes patients **is important as a risk prevention strategy for periodontitis.**

- ✓ **Bleeding gums are not normal** and the appearance of blood in saliva following tooth brushing is not normal. To treat this, you should consult a dental care professional.
- ✓ **If you have bad breath or loose teeth, or gaps appearing between teeth,** you should visit a dental care professional.
- ✓ **Brush your teeth twice a day.**
- ✓ **Consider supplementing** fluoride with additional effective agents to reduce plaque such as those found in mouthwash and toothpastes.
- ✓ **Consider advice** on how to stop smoking.
- ✓ **Engage** in discussions on **weight loss.**
- ✓ **Encourage adherence** to glycaemic control regimes in individuals with diabetes



Dental caries

Susceptibility varies substantially throughout life; it is particularly high in the young.

There is an association between lower socio-economic status and dental caries.

Dietary fermentable carbohydrates (sugars, starches) are a necessary component for dental caries initiation and progression.

- ✓ **Refrain from** giving pre-school and school children processed foods.
- ✓ **Use a fluoride** toothpaste twice daily.
- ✓ **Ask your** dentist for professional fluoride application if you are at high risk of dental caries.

Both Dental Caries and Periodontal Diseases are preventable.

- **Look after your teeth and gums.** Brush your teeth twice daily with fluoride toothpaste and clean in between your teeth with inter-dental brushes or other oral hygiene products, as advised by your dentist. **Consider supplementing fluoride** with additional effective agents to reduce plaque such as those found in toothpastes and mouthwashes.
- **Refrain from consuming sugary foods** and sweet drinks as much as possible and restrict them to mealtimes only.
- **Ask your carer for help** if you have difficulty in cleaning your teeth and gums.
- **See your dentist/oral care professional for preventive care** for tooth decay and gum disease and have the necessary treatment.
- **Encourage** all nursing mothers **to enter** their babies into **regular dental care pathways**.

Retaining Healthy Teeth for Life has multiple benefits.



allows chewing, eating speaking and smiling to be optimal



reduces the risk of general health issues



improves the quality of life and wellbeing



positively impacts health economics



Caries and periodontal diseases are the most common human diseases - and both are preventable.



Benefits of tooth retention relate to nutritional status, speech, self-confidence and quality of life.



The burden of these diseases increases as the population ages.



The oral health status in aged individuals is influenced by their level of dependence, rather than by their chronological age.



The oral healthcare team can advise on weight loss, smoking cessation, exercise, and controlling diabetes and glycaemia in general.



Reducing sugar and starch intake in amount and frequency is important in preventing periodontal disease and caries. Intake should be limited to mealtimes



Bleeding gums are *not* normal. You should immediately visit a dentalcare professional.



Education for oral health should target children, as well as mothers to be, new mothers, care home workers and other groups who care for those with dependence.



Periodontal disease should be seen as an indicator to other general health issues.



Brushing twice daily with fluoride toothpaste is essential and can also be supplemented with additional effective agents to reduce plaque such as those found in mouthwash and toothpastes.

Perio
& Caries
at a glance

Perio & Caries, a joint **EFP-Colgate Initiative**



The European Federation of Periodontology (EFP) is the leading global voice on gum health and gum disease and the driving force behind EuroPerio – the most important international periodontal congress – and the European Workshop on periodontology, a world-leading meeting on periodontal science. The EFP also edits the Journal of Clinical Periodontology, one of the most authoritative scientific publications in this field.

The EFP comprises 30 national societies of periodontology in Europe, northern Africa, Caucasia, and the Middle East, which together represent about 14,000 periodontists, dentists, researchers, and other members of the dental team focused on improving periodontal science and practice.

www.efp.org



With a history of over 200 years, Colgate-Palmolive is a global leader in oral care and is strongly committed to improving oral health globally. The company possesses the leading toothpaste and manual toothbrush brands throughout many parts of the world, according to value share data, including internationally recognised brands, such as: Colgate®, Colgate Total®, Maximum Cavity Protection plus Sugar Acid Neutraliser™, Sensitive Pro-Relief™, Max White One®, elmex®, meridol® and Duraphat®.

Colgate-Palmolive continues to build success through innovation in oral care and stronger partnerships with dental profession and public health. Its core values, "caring", "global teamwork", and "continuous improvement", are reflected not only in the quality of its products and the reputation of the company, but also in its dedication to improve the quality of life of its consumers and serve the communities where it does business.

For more information about Colgate's engagement with dental professionals visit:

www.colgateprofessional.co.uk

www.colgatetalks.com



perioandcaries.efp.org



European
Federation of
Periodontology

The EFP thanks Colgate
for its support and its unrestricted grant.

